



VENTILATION SOLUTIONS

Short Spigot Length Series

With short spigot for caravans or other applications where walls are thinner than usual


MM QN 100/60




LONG life
30.000h



Dimensions /mm/



Performance curves



Technical characteristic

Type	Product Code	Product Code with Back Shutter / Accessory /	Supply Voltage	Maximum Flow Rate	Consumed power	Maximum Flow rate	Protection Degree	Noise Level	Safety Zone	Max Air Temperature	Basic fan	Timer	Humidistat	Light Relay	LED Light	2 Speed Fan
	No	No	Hz / V	min ⁻¹	W	m³/h	IP	dB	Zone	°C						
MM QN 100	-	1993	50 / 230	2500	16	60	X4	30	2,3	+60	●					
MM QN 100T	-	2174										●				
MM QN 100HT	-	2532										●	●			
MM QN 100LT	-	2525										●		●		
MM QN 100LED	-	-									●				●	
MM QN 100LV	-	-	50 / 12	2500	16	60	X4	30	1,2,3	+60	●					


MM RN 100/60




LONG life
30.000h



Dimensions /mm/



Performance curves




Technical characteristic

Type	Product Code	Product Code with Back Shutter / Accessory /	Supply Voltage	Maximum Flow Rate	Consumed power	Maximum Flow rate	Protection Degree	Noise Level	Safety Zone	Max Air Temperature	Basic fan	Timer	Humidistat	Light Relay	LED Light
	No	No	Hz / V	min ⁻¹	W	m³/h	IP	dB	Zone	°C					
MM RN 100	-	2549	50 / 230	2500	16	60	X4	30	2,3	+60	●				


MM OK 100




Dimensions /mm/



Dimensions /mm/ With Shutter



Performance curves



Technical characteristic

Type	Product Code	Product Code with Back Shutter / Accessory /	Supply Voltage	Maximum Flow Rate	Consumed power	Maximum Flow rate	Protection Degree	Noise Level	Safety Zone	Max Air Temperature	Basic fan	Timer	Humidistat	Light Relay	LED Light	Noiseless Energy Efficient
	No	No	Hz / V	min ⁻¹	W	m³/h	IP	dB	Zone	°C						
MM OK 100	4680	2365	50 / 230	2750	18	169	56	32	2,3	+60	•					
MM OK 100T	-	-										•				
MM OK 100HT	-	-										•	•			
MM OK 100LT	-	-										•		•		
MM OK 100LED	-	-									•				•	
MM OK 100 UE	4673	4116	50 / 230	2020	5,5	100	56	23	2,3	+60						•


Legend

MM OK 100 LV B T HT LT LED UE C

MM OK	Series name	T	Timer	UE	Noiseless - Energy Efficient
100	Size	HT	Humidistat & Timer	C	Back Shutter /Accessory/
LV	Low Voltage Fan 12V	LT	Light Relay & Timer		
B	Basic Model	LED	LED Light		



Products without a code are custom made



www.mmotors.bg